



TracerMate CS


CHARGING SYSTEM



CS

CS 가 가 CTS 30 / (Charge) 가

CTS 가 가



100% 가
75% 가 /25%
50% /50%
25% /75%
%

99 (가)

1000PSI 가

32 & 24 AD
0.00001%

가 6 - 가
가 6 - 가
가 5

가

USB 5,000 가
SPC

28.6cm x 가 22.9cm x
38.1cm
40.6cm x 가 35.6cm x
20.3cm

120 Volts
20 Amps
60-80PSI + 가 (100% pure)

CTS 가 (TMRC) 300psig 6 TMRC
가 가 TMRC CTS 가



TracerMate CS Charging System

- 가 /
- Ethernet
- Email
- USB
- RS232
- Barcode

- Single or Multi Step Proof/UL Test
- Pressure/ Decay - ΔP
- Part Evacuation with Vacuum Decay - $\Delta P/\Delta T$
- Gross Leak Fill - with Pressure Decay - $\Delta P/\Delta T$
- Fine Leak Fill - with Pressure Decay - $\Delta P/\Delta T$
- Tracer Gas Reclaim - Vent
- Capillary Test
- Water Test
- Part Post Evacuation
- N2 Back Fill or Part Clean Cycle

- Tracer Gas Accumulation Mode
- Hard Vacuum - No Chamber Valve Control
- Hard Vacuum - Chamber Valve Control
- Sniffer Single Test Point
- Sniffer Test with Multiple Test Points
- Sniffer Clam Shell Mode
- Available with Multiple Test Points



Other TracerMate Products




Helium Reclaim Gas Recovery System



Gas Leak Standards



Tracer Gas Mixer



Sniffer Claimshell



INDUSTRY LEADER IN PRODUCTION TEST EQUIPMENT

24

+

가

+



WORLD CLASS TESTING SOLUTIONS

Standard Products · Custom Design · Integration
Test · Measurement · Calibration · Gas Recovery

USA
Headquarters
5555 Dry Fork Road
Cleveland, Ohio 45002
P: 513-367-6699
Cincinnati-test.com

China
Dongfang Road 3601
Harvest Industrial Park No. 7 Building
Room 403
Pudong, Shanghai, China 200125
P:+86-21-58366290

Korea
1st Floor of Hwa-Jin Building
#988-4 Danjeong-dong Gunpo-si
Gyeonggi-do
435-870 Korea
P:+82-070-501-7743



Scan to view
web site

A TASI Group Company